OIPE SOM ES

U.S. DEPARTMENT OF COMMERCE **Attorney Docket** 00786/366003 SUBSTITUTE FORM PTO-1449 PATENT AND TRADEMARK OFFICE (4 TRAUSIDOFIED) No. 10/643.434 Serial No. Jen Sheen et al. INFORMATION DISCLOSURE **Applicant** August 19, 2003 STATEMENT BY APPLICANT Filing Date (Use several sheets if necessary) 1638 Group (37 CFR §1.98(b)) November 19, 2004 IDS Filed **U.S. PATENTS** Subclass Filing Date Class Examiner's **Patent Issue Date Patentee** (If Appropriate) Initials Number 03/03/98 Oliver et al. 5,723,765 7/1997 Tanskley et al. 5,648,599 5,658,772 08/19/97 Odell et al. Hodges et al. 5,527,695 06/18/96 OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) Abel et al., 'Translent Transformation of Arabidopsis Leaf Protoplasts: A Versatile Experimental System to Study Gene Expression," The Plant Journal 5:421-427 (1994). Banno et al., "NPK1, a Tobacco Gene that Encodes a Protein with a Domain Homologous to Yeast BCK1, STE11, and Byr2 Protein Kinases," Mol. Cell. Biol. 13:4745-4752 (1993). Banzet et al., "Accumulation of Small Heat Shock Proteins, including Mitochondrial HSP22, induced by Oxidative Stress and Adaptive Response in Tomato Cells,* The Plant Journal 13:519-527 (1998). Bennett and Tonks, "Regulation of Distinct Stages of Skeletal Muscle Differentiation by Mitogen-Activated Protein Kinases," Science 278:1288-1291 (1997). Bohnert and Jensen, "Strategies for Engineering Water-Stress Tolerance in Plants," TIBTECH 14:89-97 (1996). Bolwell and Wojtaszek, "Mechanisms for the Generation of Reactive Oxygen Species in Plant Defense - A Broad Perspective," Physiological and Molecular Plant Pathology 51:347-366 (1997). Bray, "Plant Responses to Water Deficit," Trends in Plant Science 2:48-54 (1997). Chamnongpol et al., *Defense Activation and Enhanced Pathogen Tolerance Induced by H₂O₂ In Transgenic Tobacco," Proc. Natl. Acad. Sci. USA 95:5818-5823 (1998). Chelkh and Jones, "Disruption of Maize Kernel Growth and Development by Heat Stress," Plant Physiol. 106:45-51 (1994). Chen et al., "The Promoter of a H₂O₂-Inducible, Arabidopsis Glutathlone S-Transferase Gene Contains Closely Linked OBF-and OBP1-Binding Sites,* The Plant Journal 10:955-966 (1996). EXAMINER **DATE CONSIDERED** EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE (MODIFIED)	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Serial No. Applicant Filing Date Group IDS Filed	00786/366003 10/643,434 Jen Sheen et al. August 19, 2003 1638 November 19, 2004		
MAI	Clark et al., "Association of the Arabidopsis CTR1 Raf- Receptors," Proc. Natl. Acad. Sci. USA 95:5401-5406 (1		R1 and ERS Ethylene		
1	Clarke, "Switching off MAP Kinases," Current Biology	4:647-650 (1994).			
	Damm et al., "Efficient Transformation of <i>Arabidopsis</i> Protoplasts," <i>Mol. Gen. Genet.</i> 217:6-12 (1989).	Thaliana Using Direct Ge	ene Transfer to		
	Deak et al., "Fas-Induced Proteolytic Activation and Intracellular Redistribution of the Stress-Signaling Kinase MEKK1," <i>Proc. Natl. Acad. Sci. USA</i> 95:5595-5600 (1998).				
	Doi et al., "MSG5, a Novel Protein Phosphatase Promotes Adaptation to Pheromone Response in S. cerevisiae," The EMBO Journal 13:61-70 (1994).				
	Felix et al., "Rapid Changes of Protein Phosphorylation are involved in Transduction of the Elicitor Signal in Plant Cells," <i>Proc. Nat. Acad. Sci. USA</i> 88:8831-8834 (1991).				
	Garbers and Simmons, "Approaches to Understanding Auxin Action," <i>Trends in Cell Biology</i> 4:245-250 (1994).				
	Gray et al., "A Role for the Pkc1 MAP Kinase Pathway of Saccharomyces cerevisiae in Bud Emergence and Identification of a Putative Upstream Regulator," EMBO J. 16:4924-4937 (1997).				
	Green and Fluhr, "UV-B Induced PR-1 Accumulation is Mediated by Active Oxygen Species," <i>The Plant Cell</i> 7:203-212 (1995).				
	Gupta et al., "identification of a Dual-Specificity Protein Phosphatase that inactivates a MAP Kinase From Arabidopsis," The Plant Journal 16:581-589 (1998).				
	Gustin et al., "MAP Kinase Pathways in the Yeast Saccharomyces Cerevisiae," Microbiol. Mol. Biol. Rev. 62:1264-1300 (1998).				
	Hagen et al., "Auxin-Induced Expression of the Soybean GH3 Promoter in Transgenic Tobacco Plants," Plant Mol. Biol. 17:567-579 (1991).				
	Hardtke et al., "The <i>Arabidopsis</i> Gene <i>MONOPTEROS</i> Encodes a Transcription Factor Mediating Embryo Axis Formation and Vascular Development," <i>EMBO J.</i> 17:1405-1411 (1998).				
	Herskowitz, *MAP Kinase Pathways in Yeast: For Matin	g and More," <i>Cell</i> 80:187	-197 (1995).		
EXAMINER Medura A. Ibrah DATE CONSIDERED 2/3/05					
	tial citation considered. Draw line through citation if no m with the next communication to applicant.	t in conformance and no	t considered. Include		

SUBSTITUTE FORM PTO-1449 (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 CFR §1.98(b))		Attorney Docket No. Serial No.	00786/366003 10/643,434	
		Applicant Filing Date	Jen Sheen et al. August 19, 2003	
		Group IDS Flied	1638 November 19, 2004	
	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, I	OATE, PLACE OF PUBL	ICATION)	
MAI	Hirt, "Multiple Roles of MAP Kinases in Plant Signal Trai (1997).	nsduction," <i>Trends in P</i>	lant Science 2:11-15	
	Holmberg and Bülow, "Improving Stress Tolerance in Pl 3:61-66 (1998).	ants by Gene Transfer,	* Trends in Plant Science	
	Hughes et al., "Complementation of byr1 in Fission Year Coexpression of Raf Kinase," Nature 364:349-352 (1993		Kinase Kinase Requires	
	Ichimura et al., "Isolation of ATMEKK1 (A MAP Kinase Kinase)-Interacting Proteins and Analysis of a MAP Kinase Cascade in <i>Arabidopsis</i> ," <i>Biochem. Biophys. Res. Commun.</i> 253:532-543 (1998).			
	Inzè and Montagu, "Oxidative Stress in Plants," Current Opinion in Biotechnology 6:153-158 (1995).			
	Ishitani et al., "Genetic Analysis of Osmotic and Cold Stress Signal Transduction in Arabidopsis: Interactions and Convergence of Abscisic Acid-Dependent and Abscisic Acid-Independent Pathways," The Plant Cell 9:1935-1949 (1997).			
	Ishizaki-Nishizawa et al., "Low-Temperature Resistance of Higher Plants is Significantly Enhanced by a Nonspecific Cyanobacterial Desaturase," <i>Nat. Biotechnol.</i> 14:1003-1006 (1996).			
	Ito et al., "NPK15, a Tobacco Protein-Serine/Threonine Kinase with a Single Hydrophobic Region Near the Amino-Terminus," <i>Mol. Gen. Genet.</i> 245:1-10 (1994).			
	Jagio-Ottosen et al., "Arabidopsis CBF1 Overexpression Induces COR Genes and Enhances Freezing Tolerance," Science 280:104-106 (1998).			
	Jonak et al., "MAP Kinases in Plant Signal Transduction," Cell. Mol. Life Sci. 55:204-213 (1999).			
-	Jouannic et al., "Plant MAP Kinase Kinase Kinases Structure, Classification and Evolution," Gene 233:1-11 (1999).			
	Karpinski et al., "Systemic Signaling and Acclimation in Response to Excess Excitation Energy in Arabidopsis," Science 284:654-657 (1999).			
	Kato et al., *Bmk1/Erk5 is Required for Cell Proliferation Induced by Epidermal Growth Factor,* <i>Nature</i> 395:713-716 (1998).			
1/	Key, "Modulation of Gene Expression by Auxin," Bioess	ays 11:52-58 (1989).		
EXAMINER	Meding A. Mrali DATE CO	INSIDERED 2/3/	105	
EXAMINER: In	oitial citation considered. Draw line through citation if not from with the next communication to applicant.	in conformance and no	ot considered. Include	

SUBSTITUTE (MODIFIED)	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/366003	
(mobilize)		Serial No.	10/643,434	
	INFORMATION DISCLOSURE		Jen Sheen et al.	
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Applicant	August 19, 2003	
	(Use several sheets if necessary)	Filing Date	1638	
(37 CFR §1.98	((b))	Group	November 19, 2004	
		IDS Filed		
	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE,	DATE, PLACE OF PUBL	ICATION)	
MAI	Kleber et al., "CTR1, A Negative Regulator of the Ethyle Member of the Raf Family of Protein Kinases," Cell 72:		n Arabidopsis, Encodes a	
	Kishor et al., "Overexpression of Δ^1 -Pyrroline-5-Carbox Confers Osmotolerance in Transgenic Plants," <i>Plant Plant Plants</i>			
	Kovtun et al., "Suppression of Auxin Signal Transducti 395:716-720 (1998).	on by a MAPK Cascade	in Higher Plants," Nature	
	Kyriakis and Avruch, "Sounding the Alarm: Protein Kinase Cascades Activated by Stress and Inflammation," <i>The Journal of Biological Chemistry</i> 271:24313-24316 (1996).			
	Lamb and Dixon, "The Oxidative Burst in Plant Disease Resistance," <i>Annu. Rev. Plant Physiol. Plant Mol. Biol.</i> 48:251-275 (1997).			
	Landry et al., Regulation of Actin Dynamics by Stress-Activated Protein Kinase 2 (SAPK2)-Dependent Phosphorylation of Heat-Shock Protein of 27 kDa (Hsp27)," <i>Biochem. Soc. Symp.</i> 64:79-89 (1999).			
	Lavoie et al., "Cyclin D1 Expression is Regulated Positively by the p42/p44 ^{MAPK} and Negatively by the p38/HOG ^{MAPK} Pathway," <i>J. Biol. Chem.</i> 271:20608-20616 (1996).			
	Lee et al., "Derepression of the Activity of Genetically Engineered Heat Shock Factor Causes Constitutive Synthesis of Heat Shock Proteins and Increased Thermotolerance in Transgenic Arabidopsis," The Plant Journal 8:603-612 (1995).			
	Leung et al., "Arabidopsis ABA Response Gene ABI1: Features of a Calcium-Modulated Protein Phosphatase," Science 264:1448-1452 (1994).			
	Leyser, "Auxin Signalling: Protein Stability as a Versati	e Control Target," Curr.	Biol. 8:305-307 (1998).	
	Liu et al., "Two Transcription Factors, DREB1 and DREB2, with an EREBP/AP2 DNA Binding Domain Separate Two Cellular Signal Transduction Pathways in Drought- and Low-Temperature-Responsive Gene Expression, Respectively, in Arabidopsis," <i>Plant Cell</i> 10:1391-1406 (1998).			
į	Liu et al., "Soybean <i>GH3</i> Promoter Contains Multiple Auxin-Inducible Elements," <i>Plant Cell</i> 6:645-657 (1994).			
	Machida et al., "Progress in Studies of Plant Homologs Potential Upstream Components in Kinase Cascades," (1997).			
EXAMINER	MINER Medius A. Moral DATE CONSIDERED 2/3/05			
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include conv of this form with the next communication to applicant				

SUBSTITUTE (MODIFIED)	INFORMATION STATEMENT B' (Use several shee	Y APPLICANT		Attorney Do No. Serial No. Applicant Filing Date Group IDS Filed	cket	00786/366003 10/643,434 Jen Sheen et al. August 19, 2003 1638 November 19, 2004
	OTHER DOCUME	NTS (INCLUDING AUTHO	R, TITLE, D	ATE, PLACE	OF PUBL	ICATION)
MAI	Marrs, "The Function Plant Mol. Biol. 47:12		tathlone S-T	ransferases i	in Plants,	Annu. Rev. Plant Physiol.
	Martin et al., "Map-B Science 262:1432-14	ased Cloning of a Proteir I36 (1993).	n Kinase Ge	ne Conferring	g Disease	Resistance in Tomato,"
	Michaiczuk et al., "Auxin Levels at Different Stages of Carrot Somatic Embryogenesis," <i>Phytochemistry</i> 31:1097-1103 (1992).					
	Misra-Press et al., "A Novel Mitogen-Activated Protein Kinase Phosphatase," The Journal of Biological Chemistry 270:14587-14596 (1995).					
	Mizoguchi et al., "Environmental Stress Response in Plants: The Role of Mitogen-Activated Protein Kinases," <i>Trends in Biotechnology</i> 15:15-19 (1997).					
	Mizoguchi et al., "A Gene Encoding a Mitogen-Activated Protein Kinase Kinase Kinase is Induced Simultaneously with Genes for a Mitogen-Activated Protein Kinase and an S6 Ribosomal Protein Kinase by Touch, Cold, and Water Stress in <i>Arabidopsis thaliana</i> , "Proc. Natl. Acad. Sci. USA 93:765-769 (1996).					
	Moinar et al., "Cdc42Hs, but Not Rac1, inhibits Serum-Stimulated Cell Cycle Progression at G ₁ /S Through a Mechanism Requiring p38/RK," <i>J. Biol. Chem.</i> 272:13229-13235 (1997).					
	Mordhorst et al., "Somatic Embryogenesis in <i>Arabidopsis thaliana</i> is Facilitated by Mutations in Genes Repressing Meristematic Cell Divisions," <i>Genetics</i> 149:549-563 (1998).					
	Morimoto, "Regulation of the Heat Shock Transcriptional Response: Cross Talk Between a Family of Heat Shock Factors, Molecular Chaperones, and Negative Regulators," Genes Dev. 12:3788-3796 (1998).					
	Morimoto et al., "Stress-inducible Responses and Heat Shock Proteins: New Pharmacologic Targets for Cytoprotection," Nat. Biotechnol. 16:833-838 (1998).					
	Muda et al., "MKP-3, A Novel Cytosolic Protein-Tyrosine Phosphatase That Exemplifies a New Class of Mitogen-Activated Protein Kinase Phosphatase," <i>The Journal of Biological Chemistry</i> 271:4319-4326 (1996).					
	Muda et al., "Molecular Cloning and Functional Characterization of a Novel Mitogen-Activated Protein Kinase Phosphatase, MKP-4," The Journal of Biological Chemistry 272:5141-5151 (1997).					
EXAMINER	ledura Aulb	raj	DATE CO	NSIDERED	2/3/	105
	EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.					

SUBSTITUTE (MODIFIED)	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (b))	Attorney Docket No. Serial No. Applicant Filing Date Group IDS Filed	00786/366003 10/643,434 Jen Sheen et al. August 19, 2003 1638 November 19, 2004	
	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE,	DATE, PLACE OF PUBL	ICATION)	
MAI	Nakashima et al., "The Expression Pattern of the Gene Activated Protein Kinase Kinase Kinase (MAPKKK) in a Proliferation," <i>Plant Cell Physiol</i> . 39:690-700 (1998).			
	Nishihama et al., "Possible involvement of Differential Splicing in Regulation of the Activity of Arabidopsis ANP1 that is Related to Mitogen-Activated Protein Kinase Kinases (MAPKKKs)," The Plant Journal 12:39-48 (1997).			
	Noctor and Foyer, *Ascorbate and Glutathlone: Keeping Active Oxygen Under Control," <i>Annu. Rev. Plant Physiol. Plant Mol. Biol.</i> 49:249-279 (1998).			
	Nuccio et al., "Metabolic Engineering of Plants for Osmotic Stress Resistance," <i>Current Opinion in Plant Biology</i> 2:128-134 (1999).			
	Pardo et al., "Stress Signaling Through Ca ^{2*} /Calmodulin-Dependent Protein Phosphatase Calcineurin Mediates Salt Adaptation in Plants," <i>Proc. Natl. Acad. Sci. USA</i> 95:9681-9686 (1998).			
	Pel et al., "Role of Farnesyltransferase in ABA Regulation of Guard Cell Anion Channels and Plant Water Loss," Science 282:287-290 (1998).			
	Posas et al., "Activation of the Yeast SSK2 MAP Kinase Kinase Kinase by the SSK1 Two-Component Resposne Regulator," <i>EMBO J.</i> 17:1385-1394 (1998).			
٠	Potts et al., "A Protein-Tyrosine/Serine Phosphatase Encoded by the Genome of the Cyanobacterium Nostoc commune UTEX 584," The Journal of Biological Chemistry 268:7632-7635 (1993).			
	Prändl et al., *HSF3, A New Heat Shock Factor from <i>Arabidopsis thaliana</i> , Derepresses the Heat Shock Response and Confers Thermotolerance When Overexpressed In Transgenic Plants,* <i>Mol. Gen. Genet.</i> 258:269-278 (1998).			
	Prasad, "Mechanisms of Chilling-Induced Oxidative Stress Injury and Tolerance in Developing Malze Seedlings: Changes in Antioxidant System, Oxidation of Proteins and Lipids, and Protease Activities," <i>The Plant Journal</i> 10:1017-1026 (1996).			
	Reichheid et al., "Specific Checkpoints Regulate Plant Cell Cycle Progression in Response to Oxidative Stress," <i>The Plant Journal</i> 17:647-656 (1999).			
	Ribnicky et al., "The Effects of Exogenous Auxins on El Physiol. 112:549-558 (1996).	ndogenous Indole-3-Ace	tic Acid Metabolism," <i>Plant</i>	
EXAMINER	Medins A: Morel DATE CO	DISIDERED 2/3	3/05	
	Itial citation considered. Draw line through citation if no rm with the next communication to applicant.	in conformance and no	t considered. Include	

SUBSTITUTE (MODIFIED)	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (b))	Attorney Docket No. Serial No. Applicant Filing Date Group IDS Filed	00786/366003 10/643,434 Jen Sheen et al. August 19, 2003 1638 November 19, 2004	
	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, I	DATE, PLACE OF PUBL	ICATION)	
MAI	Roxas et al., "Overexpression of Giutathione S-Transfer of Transgenic Tobacco Seedlings During Stress," <i>Natur</i>	ase/Glutathione Peroxide Biotechnology 15:988	dase Enhances the Growth -991 (1997).	
]	Saltoh et al., "Mammallan Thioredoxin is a Direct Inhibit " EMBO J. 17:2596-2606 (1998).	or of Apoptosis Signal-I	Regulating Kinase (ASK) 1,	
	Schraudner et al., "Ozone-Induced Oxidative Burst in the Ozone Blomonitor Plant, Tobacco Bel W3," The Plant Journal 16:235-245 (1998).			
	Sen Gupta et al., "Increased Resistance to Oxidative Stress in Transgenic Plants that Overexpress Chloroplastic Cu/Zn Superoxide Dismutase," <i>Proc. Natl. Acad. Sci. USA</i> 90:1629-1633 (1993).			
	Seo et al., 'Tobacco MAP Kinase: A Possible Mediator in Wound Signal Transduction Pathways," Science 270:1988-1992 (1995).			
	Sheen, "Mutational Analysis of Protein Phosphatase 2C Involved in Abscisic Acid Signal Transduction in Higher Plants," Proc. Natl. Acad. Sci. USA 95:975-980 (1998)			
	Sheen, "Protein Phosphatase Activity is Required for Light-Inducible Gene Expression in Maize," The EMBO Journal 12:3497-3505 (1993)			
	Shibuya et al., "TAB1: An Activator of the TAK1 MAPKKK in TGF-β Signal Transduction," Science 272:1179-1182 (1996).			
	Sitbon et al., "Expression of Auxin-Regulated Genes," <i>Physiological Plantarum</i> 100:443-455 (1997).			
	Smith and Walker, "Plant Protein Phosphatases," Annu. Rev. Plant Physiol. Plant Mol. Biol. 47:101-125 (1996).			
	Song et al., "A Receptor Kinase-Like Protein Encoded by the Rice Disease Resistance Gene, <i>Xa21</i> ," Science 270:1804-1806 (1995).			
	Storozhenko et al., "The Heat-Shock Element is a Functional Component of the Arabidopsis APX1 Gene Promoter ¹ ," Plant Physiol. 118:1005-1014 (1998).			
	Suglura et al., "pmp1*, a Suppressor of Calcineurin Deficiency, Encodes a Novel MAP Kinase Phosphatase in Fission Yeast," <i>The EMBO Journal</i> 17:140-148 (1998).			
EXAMINER	EXAMINER CALLE A MOVIM DATE CONSIDERED 2/3/65			
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include				

SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Attorney Docket No.	00786/366003		
		Serial No.	10/643,434		
		Applicant	Jen Sheen et al.		
	_	ON DISCLOSURE IT BY APPLICANT		Filing Date	August 19, 2003
	(Use several :	sheets if necessary)		Group	1638
(37 C.F.R. § 1	(37 C.F.R. § 1.98(b))			IDS Filed	November 19, 2004
	OTHER DOCU	JMENTS (INCLUDING AUTH	IOR, TITLE, C	ATE, PLACE OF PUBL	CATION)
MAI		The Coordinated Action of 19:480-485 (1994).	Protein Tyro	sine Phosphatases an	d Kinases in Cell
		1 (3CH134), an immediate I es MAP Kinase in Vivo," Cel			ficity Phosphatase That
	Sun et al., "Inhibl 266:285-288 (199	ition of Ras-Induced DNA S 4).	ynthesis by i	Expression of the Phos	phatase MKP-1," Science
	Takahashi et al., "Characterization of Two Genes Encoding Small Heat-Shock Proteins in <i>Arabidopsis thaliane</i> ," <i>Mol. Gen. Genet.</i> 219:365-372 (1989).				
	Takenaka et al., "Activation of the Protein Kinase p38 in the Spindle Assembly Checkpoint and Mitotic Arrest," Science 280:599-602 (1998).				
	Tarczynski et al., "Stress Protection of Transgenic Tobacco by Production of the Osmolyte Mannitol," Science 259:508-510 (1993).				
	Tonks and Neel, "From Form to Function: Signaling by Protein Tyrosine Phosphatases," <i>Cell</i> 87:365-368 (1996).				
·	Tuomainen et al., "Ozone Induction of Ethylene Emission in Tomato Plants: Regulation by Differential Accumulation of Transcripts for the Biosynthetic Enzymes," <i>The Plant Journal</i> 12:1151-1162 (1997).				
	Ulmasov et al., "The ocs Element in the Soybean GH2/4 Promoter is Activated by Both Active and inactive Auxin and Salicylic Acid Analogues," Plant Mol. Biol. 26:1055-1064 (1994).				
	Walbot, "Sources and Consequences of Phenotypic and Genotypic Plasticity in Flowering Plants," Trends in Plant Science 1:27-32 (1996).				
	Walker and Estelle, "Molecular Mechanisms of Auxin Action," Current Opinion in Plant Biology 1:434-439 (1996).				
	Ward et al., "Control of MAP Kinase Activation by the Mitogen-Induced Threonine/Tyrosine Phosphatase PAC1," Nature 367:651-654 (1994).				
	Watilion et al., "A Calcium/Calmodulin-Binding Serine/Threonine Protein Kinase Homologous to the Mammalian Type II Calcium/Calmodulin-Dependent Protein Kinase is Expressed in Plant Cells," <i>Plant Physiology</i> 101:1381-1384 (1993).				
	Weigel et al., "A developmental Switch Sufficient for Flower Initiation in Diverse Plants," Nature 377:495-500 (1995).				
EXAMINER	R JOSLUS A. MARL. DATE CONSIDERED 2/3/05				
	EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.				

SUBSTITUTE FORM PTO-1449 (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Attorney Docket No.	00786/366003	
		Serial No.	10/643,434	
		Applicant	Jen Sheen et al.	
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Filing Date	August 19, 2003	
	(Ose several sneets it necessary)	Group	1638	
(37 C.F.R. § 1.9	98(b))	IDS Filed	November 19, 2004	
	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, D	ATE, PLACE OF PUBLIC	CATION)	
MAI	Willekens et al., "Catalase is a Sink for H_2O_2 and is indis J . 16:4806-4816 (1997).	pensable for Stress De	fence in C ₃ Plants," EMBO	
	Wishart and Dixon, "Gathering STYX: Phosphatase-like Form Predicts Functions for Unique Protein- Interaction Domains," TIBS 23:301-306 (1998).			
	Xia et al., JNKK1 Organizes a MAP Kinase Module Through Specific and Sequential Interactions with Upstream and Downstream Components Mediated by its Amino-Terminal Extension, " Genes Dev. 12:3369-3381 (1998).			
	Xu et al., "Molecular Characterization of a Tyrosine-Specific Protein Phosphatase Encoded by a Stress-Responsive Gene in <i>Arabidopsis</i> ," <i>Plant Cell</i> 10:849-857 (1998).			
	Xu et al., "MEKK1 Phosphorylates MEK1 and MEK2 but Does Not Cause Activation of Mitogen-Activated Protein Kinase," <i>Proc. Natl. Acad. Sci. USA</i> 92:6808-6812 (1995).			
	Yuasa et al., "Tumor Necrosis Factor Signaling to Stress-Activated Protein Kinase (SAPK)/Jun NH ₂ - Terminal Kinase (JNK) and p38," <i>J. Biol. Chem.</i> 273:22681-22692 (1998).			
	Zaltsevskaya-Carter et al., "Spm1, A Stress-Activated MAP Kinase that Regulates Morphogenesis in S.pombe," EMBO J. 16:1318-1331 (1997).			
	Zhang et al., "Salicylic Acid Activates a 48-kD MAP Kinase in Tobacco," Plant Cell 9:809-824 (1997).			
	Zhong et al., "Direct Sensing of Heat and Oxidation by <i>Drosophila</i> Heat Shock Transcription Factor," <i>Mol. Cell</i> 2:101-108 (1998).			
EXAMINER	R Medina A. Word : DATE CONSIDERED 2/3/05			
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.				